

Fyntech's Liquid Tool

HELPS REMOVE OR TIGHTEN ALL TYPES OF FASTNERS – DAMAGED OR RUSTED.

- *NOT A GLUE
- *WORKS INSTANTLY
- * WIPES CLEAN AFTER USE
- *NON-CORROSIVE

Description:

Liquid Tool solution has thousands of hardened cubes in a non-toxic, food grade antifreeze carrying agent. Each block is 5 microns in. These building blocks provide a temporary bridge between the tool and stressed fastener heads for easy removal.

Applications:

- * Stripped screws,
- *worn gripping and turning tools,
- *Rounded or Deformed Heads
- *Seized, Rusted or Hard-To-Reach Spots
- *Sloppy or Mis-matched Sockets
- *Stops Bit from Turning in a Chuck
- *Removal of Headlight Frames, Moldings, etc.
- *General MRO Uses
- *Apply to Power Driver for Dry-wall or Deck Screws
- * Extending tool life

And Many More

Application Procedure:

Stripped Screws

Apply a drop to the screw head or driver head and wiggle the tool against the screw head while applying moderate pressure to allow the liquid carrier to move the blocks into a bridging position between the tool and any differential surfaces of the damage screw head. Then apply forward and slightly cocked hard pressure against the screw head and turn the screw out. There is no need to clean *Liquid Tool* from the tool or fastener after use as it will not cause corrosion and does not contain petroleum or silicone

Rounded Bolts/Nuts

Apply a few drops to the inside of a box end wrench or socket and place over the bolt and wiggle the tool into place allowing the blocks to form a bridge between the wrench/socket and bolt or nut corners. Cock the wrench or socket against the bolt/screw while applying pressure and turn. There is

Marketed By:

**Nutek Engineering,G2,No3,Aganannur 1st Cross Street,Thirumullaivoyal,
Chennai 600 062Toll free No.18008913343 Tele: 044 79685816 , 7010527886
www.nutek-eng.com ,info@nutek-eng.com, 9042346666b@gmail.com
Branch Office : TC 26/2123,Tutors line,Statue,Trivandrum,**

no need to clean **Liquid Tool** from the tool or fastener after use as it will not cause corrosion and does not contain petroleum or silicone

Worn gripping and turning tools:

Apply to head or jaws of driver, wrench, or pliers to increase gripping power. There is no need to clean **Liquid Tool** from the tool or fastener after use as it will not cause corrosion and does not contain petroleum or silicone.

Extending tool life: Keep a residue **Liquid Tool** on driver head, wrench/socket shoulders and plier jaws to keep these surfaces from coming in contact with the fastener head. Let the blocks take the pressure and not the steel surface of your tool. **Liquid Tool** will not cause corrosion and does not contain petroleum or silicone.

Typical usage parameters & Physical Properties:

Grey/Brown Thin Paste

Non-toxic

Non-tacky

Non-flammable

% Solids by weight 50

Odorless

Biodegradable

Non-corroding

Boiling point 212 F

Freezing point = -60 degrees F.

Storage:

- Shelf life exceeds 10 years
- Keep application cap closed when not in use

New Technologies in Engineering

Marketed By:

**Nutek Engineering, G2, No3, Aganannur 1st Cross Street, Thirumullaivoyal,
Chennai 600 062** Toll free No. 18008913343 Tele: 044 79685816 , 7010527886

www.nutek-eng.com , info@nutek-eng.com , 9042346666b@gmail.com

Branch Office : TC 26/2123, Tutors line, Statue, Trivandrum,

Material Safety Data Sheet

Product: Liquid Tool

Section I

<u>INGREDIENTS</u>	<u>%B.W.</u>	<u>TLV</u>	<u>PEL</u>	<u>OTHER</u>	<u>CARCINOGEN</u>
1)Moisture, water	Balance				N/A
2)Propanediol, (glycol)	>30%				N/A
3)Inorganic oxides, aluminum	>30%				N/A
4)Algin gum	>18%				N/A

Ingredients are not hazardous

CARCINOGENICITY: No substance in this product is listed by IARC, and NTP, or regulated by OSHA as a carcinogen.

Section II

Physical Data

Boiling point (F): over 220 pH 7.2 typical Evaporation rate: N/A

Specific gravity: (H₂O =1): over 1.3 Solubility: N/A Vapor Pressure: N/A

Volatility by volume: N/A % solid by weight: >75% Vapor density: N/A

Appearance and odor: Liquid, Vicious dark fluid

Section III

Fire and Explosion data

Flash point N/A Method used: C.O.C. Extinguishable Media: CO₂

Flammable limits: LEL: UEL: N/A

Special fire fighting procedures: Firefighters should use self contained breathing apparatus and full protective clothing.

Section IV

Reactivity data

Stability: stable

Marketed By:

Nutek Engineering,G2,No3,Aganannur 1st Cross Street,Thirumullaivoyal,
Chennai 600 062Toll free No.18008913343 Tele: 044 79685816 , 7010527886

www.nutek-eng.com ,info@nutek-eng.com ,9042346666b@gmail.com

Branch Office : TC 26/2123,Tutors line,Statue,Trivandrum,

Incompatibility: oxidizers

Hazardous polymerization: will not occur

Hazardous decomposition products: carbon monoxide

Section V

Spill leak and disposal procedures

Action to take for spills of "BULK" quantities, bulk spills should be contained, collected and disposed of.

Disposal methods: Bulk quantities should be disposed of in accordance with Federal State and Local Regulations

Section VI

Effects of overexposure

Ingestion: upset stomach

Eye contact: irritant

Skin contact: none

Inhalation: N/A

Primary route of entry: Eaten

Section VII

First aid procedures

Eyes: flush with large amounts of water

Inhalation: N/A

Skin: flush with large amount of water

Ingestion: induce vomiting. Drink citrus juice and water. Obtain medical attention.
same as first aid procedures

Notes to Physician

Section VIII

Special handling information

Ventilation: N/A

Protective clothing: As necessary

Respiratory: No special equipment is required for use

Eye protection: Use safety goggles if spaying material

Section IX

Marketed By:

**Nutek Engineering,G2,No3,Aganannur 1st Cross Street,Thirumullaivoyal,
Chennai 600 062Toll free No.18008913343 Tele: 044 79685816 , 7010527886
www.nutek-eng.com ,info@nutek-eng.com, 9042346666b@gmail.com
Branch Office : TC 26/2123,Tutors line,Statue,Trivandrum,**



Special precautions and additional information: (for bulk quantities only, not consumer sizes)
Avoid: outdoor storage, exposure to heat, and direct sunlight. Store in closed properly labeled containers. Protect containers from physical damage.

Section X

Transportation information

Hazard class N/A

Proper shipping name: liquid

UMIS rating

Health 0

Flammability 0

Reactivity 0

Personal protection 0

N/A = Not Applicable

N.E. = Not Established

N.D. = No Data

"The Products, **Liquid Tool** is guaranteed and warranted for both their shelf-life and their use and application when stored and utilized by skilled and knowledgeable customers and their employees."

This information is accurate to the best of NUTEK ENGINEERING. knowledge, or obtained from sources believed by NUTEK ENGINEERING. to be accurate. Because many factors may affect processing or application/use, we recommend that you make a test to determine the suitability of this product for your particular purpose prior to use.

"END OF DATA SHEET"

*New Technologies in
Engineering*

Marketed By:

Nutek Engineering, G2, No3, Aganannur 1st Cross Street, Thirumullaivoyal,
Chennai 600 062 Toll free No. 18008913343 Tele: 044 79685816, 7010527886

www.nutek-eng.com, info@nutek-eng.com, 9042346666b@gmail.com

Branch Office : TC 26/2123, Tutors line, Statue, Trivandrum,



न्यूक्लियर पॉवर कारपोरेशन ऑफ इंडिया लिमिटेड
NUCLEAR POWER CORPORATION OF INDIA LIMITED
(भारत सरकार का उद्यम A Government of India Enterprise)
मद्रास परमाणु बिजलीघर **MADRAS ATOMIC POWER STATION**
संविदा एवं सामग्री प्रबंधन समूह
CONTRACTS & MATERIALS MANAGEMENT GROUP

कल्पाक्कम Kalpakkam 603 102.
तमिलनाडु TAMIL NADU
दूरभाष Telephone: 044-27480148/149
टेलीफैक्स Telefax : 044-27480149/335
ई-मेल E-Mail: yrbabu@npcil.co.in
कर सूचक सं.TIN No. 33901600048
केबिक सं.CST No. 54240 / 20-4-1988

दिनांक Date :04/01/2016

→ मेसर्स M/S. NUTEK ENGINEERING,
470/1, VISHNU COMPLEX, MTH ROAD,
AMBATTUR, CHENNAI - 600 053.

Ref.: Your Ref. No. NE/LT/196 Dated 30.12.2015

महोदय Dear Sirs,

संदर्भ: आपके श्री द्वारा दिनांक को दूरभाष

पर दिए कोटेशन का संदर्भ लेते हुए निम्नलिखित सामग्रियों की कृपया आपूर्ति करें:-

Ref: Telephonic Quotation furnished by your Shri..... on
With reference to the above please supply the following items:

Sno	Description	Quantity	Unit	Rate	Value
1	Fyntech's Liquid ToolSolution for removingdamaged and strippedfasteners- Non corrosive,non-toxic, food gradeantifreeze gel for easyremoval of deformed/damaged fasteners(15ml bottle)	10	NOS	872.00	8720.00

PAYMENT:-

100% payment will be made within 15 days from the date of receipt & acceptance of the item at our site at Kalpakkam. Bills in triplicate along with epayment details as per format enclosed shall be submitted to Manager(Materials), Nuclear Power Corporation of India Limited, Madras Atomic power Station, Kalpakkam 603 102 (Phone: 27485606).

DESPATCH INSTRUCTION:-

Please ensure that the transport vehicle transporting the ordered goods reaches plant site before 1200 noon on any working day. In case they reach late or on holidays, the vehicle is liable to be detained for the next working day and no detention charges will be paid by us. Please also ensure that the driver of the vehicle shall have valid driving licence, RC book and insurance of the vehicle, otherwise the vehicle will not be allowed inside plant site.

PO VALUE = 9984/-


ध्यान दें: कल्पाक्कम तक सुरक्षित परिवहन सुनिश्चित करने के लिए कृपया सामग्री की आपूर्ति सुरक्षित पैकड स्थिति में करें।
NOTE: PLEASE SUPPLY IN A SECURELY PACKED CONDITION TO ENSURE SAFE TRANSPORTATION TO KALPAKKAM
कर Taxes: VAT@14.5% Extra

भुगतान प्राधिकारी: उप प्रबंधक (वि एवं ले), न्यूक्लियर पावर कारपोरेशन के उपर्युक्त पते पर आपके बिल की तीन प्रतियों को चलान के साथ सामग्री प्राप्त करनेवाले पदधारी के हाथ में सौप दें या सामग्री के साथ भेज दें।

Paying Authority: Deputy Manager (F & A), Nuclear Power Corporation at the above address. Your bill in triplicate along with delivery challan should be handed over to the official collecting the material or sent along with the material.

मूल्य Prices : FOR MAPS Stores, Kalpakkam

भवदीय Yours faithfully,



(P.ARUNKUMAR)

सहायक/उप प्रबंधक (संविदा)

Manager (Contracts)

कृते और न्यूक्लियर पावर कारपोरेश ऑफ इंडिया लिमिटेड की ओर से
For and on behalf of Nuclear Power Corporation of India Ltd.

सुपुर्दगी Delivery : Within 15 days

सुपुर्दगी का स्थान: प्रबंधक (सामग्री), मद्रास परमाणु बिजलीघर, कल्पाक्कम

Place of Delivery: Manager (MATERIALS), MADRAS ATOMIC POWER
STATION, Kalpakkam 603 102.



न्यूक्लियर पॉवर कारपोरेशन ऑफ इंडिया लिमिटेड
NUCLEAR POWER CORPORATION OF INDIA LIMITED
(भारत सरकार का उद्यम A Government of India Enterprise)
मद्रास परमाणु बिजलीघर **MADRAS ATOMIC POWER STATION**
संविदा एवं सामग्री प्रबंधन समूह
CONTRACTS & MATERIALS MANAGEMENT GROUP

कल्पाक्कम Kalpakkam 603 102.
तमिलनाडु TAMIL NADU
दूरभाष Telephone: 044-27480148/149
टेलीफैक्स Telefax : 044-27480149/335
ई-मेल E-Mail: yrbabu@npcl.co.in
कर सूचक सं.TIN No. 33901600048
केबिक सं.CST No. 54240 / 20-4-1988

दूआ सं.संसाप्र/मपबिध To. No.CMM/MAPS/MM/43681 /TO/13499

दिनांक Date :14/12/2015

मेसर्स M/S. NUTECH ENGINEERING,
407/1, VISHNU COMPLEX,
MTH ROAd, ambattur, Chennai- 600 053.

REF: YOUR OFFER NO.NE/LT/190 DT. 10.12.15

महोदय Dear Sirs,

संदर्भ: आपके श्री द्वारा दिनांक को दूरभाष पर दिए कोटेशन
का संदर्भ लेते हुए निम्नलिखित सामग्रियों की कृपया आपूर्ति करें:-

Ref: Telephonic Quotation furnished by your Shri. on With reference
to the above please supply the following items:

Sno	Description	Quantity	Unit	Rate	Value
	Supply of Fyntech's Liquid Tool Solution for removing damaged and stripped fasteners- Non corrosive,non-toxic, food grade antifreeze gel for easy removal of deformed/damaged fasteners. PACKING 15ML X 10 NOS(BOX)	10 no	EACH	872-00	8720-00
+VAT @ 14.5%					

PAYMENT:-

100% payment will be made within 30 days from the date of receipt & acceptance of the item at our site at Kalpakkam Bills in triplicate along with epayment details as per format enclosed shall be submitted to Manager(Materials), Nuclear Power Corporation of India Limited, Madras Atomic power Station, Kalpakkam 603 102.

DESPATCH INSTRUCTION:-

Please ensure that the transport vehicle transporting the ordered goods reaches plant site before 1200 noon on any working day. In case they reach late or on holidays, the vehicle is liable to be detained for the next working day and no detention charges will be paid by us. Please also ensure that the driver of the vehicle shall have valid driving licence, RC book and insurance of the vehicle, otherwise the vehicle will not be allowed inside plant site.

CONSIGNEE:- MANAGER(MATERIALS) , STORES UNIT,MADRAS ATOMIC POWER STATION , KALPAKKAM-603102 (PHONE - 044-27485556)

PAYING AUTHORITY :- MANAGER(F&A), MADRAS ATOMIC POWER STATION , KALPAKKAM -603102 (PHONE -044-27485554)

PO VALUE = 9984-00

ध्यान दें: कल्पाक्कम तक सुरक्षित परिवहन सुनिश्चित करने के लिए कृपया सामग्री की आपूर्ति सुरक्षित पैकड स्थिति में करें।

NOTE: PLEASE SUPPLY IN A SECURELY PACKED CONDITION TO ENSURE SAFE TRANSPORTATION TO KALPAKKAM कर Taxes:

भुगतान प्राधिकारी: उप प्रबंधक (वि एवं ले), न्यूक्लियर पावर कारपोरेशन के उपर्युक्त पते पर आपके बिल की तीन प्रतियों को चलान के साथ सामग्री प्राप्त करनेवाले पदधारी के हाथ में सौप दें या सामग्री के साथ भेज दें।

Paying Authority: Deputy Manager (F & A), Nuclear Power Corporation at the above address. Your bill in triplicate along with delivery challan should be handed over to the official collecting the material or sent along with the material.

मूल्य Prices : FREE DELIVERY

भवदीय Yours faithfully,

सुपुर्दगी Delivery : WITHIN 15 DAYS

14/12/15
(S. ULAGANATHAN)

सुपुर्दगी का स्थान: प्रबंधक (सामग्री), मद्रास परमाणु बिजलीघर, कल्पाक्कम

प्रबंधक (संविदा)

Place of Delivery: Manager (MATERIALS), MADRAS ATOMIC POWER
STATION, Kalpakkam 603 102.

Manager (Contracts)

कृते और न्यूक्लियर पावर कारपोरेशन ऑफ इंडिया लिमिटेड की ओर से
For and on behalf of Nuclear Power Corporation of India Ltd.

मूल प्रति ORIGINAL

**GOVERNMENT OF INDIA
DEPARTMENT OF SPACE
VIKRAM SARABHAI SPACE CENTRE
PURCHASE UNIT-V,MME,RFF AREA
THIRUVANANTHAPURAM 695022
KERALA, INDIA**

Ph No: 0471-2562831,3611,357
Fax 0471-2562021
Email: r_padmakumar@vssc.gov

PURCHASE ORDER

**PURCHASE ORDER No
6043 20150080790101 LO**

Date: 23/05/2016

To:

M/s NUTEK ENGINEERING
470/1, VISHNU COMPLEX, M.T.H. ROAD, AMBATTUR,
CHENNAI 600 053
INDIA Ph 044 29004930

Vendor Code
N00736

Dear Sirs,

Ref: Your tender No. NE/VSSC/232 DTD 29/02/2016, e-mail dt.15/3/16 & 7/4/16.

Please arrange to supply the following at the rates offered by you / your agent vide tender as referred above in response to our
Tender Enquiry No: 201500807901 Dated: 15/02/2016 subject to the terms and conditions set out here under and those
mentioned in Annexure Form: NA

S.No	DESCRIPTION	QUANTITY	UNIT	RATE Rs.	AMOUNT Rs.
1	Supply of Fyntech's Liquid Tool; Solution for removing damaged and stripped fasteners- Non corrosive non toxic, food grade antifreeze gel for easy removal of deformed/damaged fasteners; (15ml x 10 Nos.) - 2 pkts. [Shelf life : 10 years].	20	No	872.00	17440.00

TERMS AND CONDITIONS : (i) VAT@14.5% extra.

(ii) WARRANTY : The Item should have a Warranty for a period of 12 months from the date of acceptance at our site against any manufacturing defects or bad workmanship. Warranty Certificate duly signed and stamped shall be send along with supply


(iii) PERFORMANCE BANK GUARANTEE [PBG] : You shall furnish a Performance Bank Guarantee (PBG) for 10% value of the order value and should be valid for a period of 60 days beyond the date for completion of all the Terms and Conditions of PO/ Expiry of Warranty Period. Proforma for PBG shall be as per Form No.DOS:PM:14 enclosed.

(iv) FORCE MAJEURE : In case completion of job is delayed by any circumstances such as acts of God, Sabotage, Civil Commotion, Riots, Insurrections, Revolution, Blockades, Earthquakes, Fire Flood,

Lightning, Storms or other natural events over which we do not have control, the supplier shall give notice within 15 days to the Purchaser in writing of his claim for an extension of time. The Purchaser on receipt of such notice after verification if necessary, may agree to extend the

Please acknowledge receipt immediately in the form sent herewith. If no reply is received within seven days from the date of receipt of this order by you, it will be deemed that this order has been accepted by you.

Yours faithfully,


VASANTHAKUMARI R
PURCHASE & STORES OFFICER
For and on behalf of the President of India
(The Purchaser)

**GOVERNMENT OF INDIA
DEPARTMENT OF SPACE
VIKRAM SARABHAI SPACE CENTRE
PURCHASE UNIT-V,MME,RFF AREA
THIRUVANANTHAPURAM 695022
KERALA, INDIA**

Ph No: 0471-2562831,3611,3577,38
Fax 0471-2562021
Email: r_padmakumar@vssc.gov.in

PURCHASE ORDER

PURCHASE ORDER No

6043 20150080790101 LO

Date: 23/05/2016

To:

M/s NUTEK ENGINEERING
470/1, VISHNU COMPLEX, M.T.H. ROAD, AMBATTUR,
CHENNAI 600 053
INDIA Ph 044 29004930

Vendor Code
N00736

Purchase Order Delivery Date as may be reasonable but without
prejudice to other Terms and Conditions of the PO.

(v) LIQUIDATED DAMAGES CLAUSE : The time and the date of
delivery stipulated in the PO shall be deemed to be the essence of the
order and delivery must be completed not later than the date specified
there in as otherwise VSSC shall have the right to recover a sum @0.5%
for each week or part of a week during which the delivery of the item in
whole or part remain undelivered subject to force majeure, with a
maximum ceiling of 10% of order value.

(vi) The item should be despatched through Registered Common
Carriers as per Carriage by Road Act 2007 and Carriage by Road Rules
Act 2011 issued by Government of India such as M/S KERALA
TRANSPORT CORPORATION, M/S BHARAT TRANSPORT
CORPORATION or M/S ASSOCIATE TRANSPORT CARRIERS.

(In words)Rs. Seventeen Thousand Four Hundred And Forty Only

TOTAL Rs. 17440.00

Delivery Date / Completion Date : 12/07/2016

To (Consignee)

Delivery Terms: F.O.R. VSSC

SR. PUR. & STORES OFFICER

Delivery Place: VSSC, TRIVANDRUM

CENTRAL STORES

Port Of Despatch: NA

VSSC, ISRO PO

Port Of Entry: NA

TRIVANDRUM - 695022

Mode of Despatch: BY ROAD

Our Bankers: SBI, THUMBA, THIRUVANANTHAPURAM

Payment Terms: 100% WITHIN 30 DAYS ON RECEIPT & ACCEPTANCE OF THE ITEM AT OUR SITE

Please acknowledge receipt immediately in the form sent herewith. If no reply is received within seven days from the date of receipt of this order by you, it will be deemed that this order has been accepted by you.

Yours faithfully,

VASANTHAKUMARI R

PURCHASE & STORES OFFICER

For and on behalf of the President of India
(The Purchaser)